

Organizational Approach to the Ergonomic Examination of E-Learning Modules

Evgeniy LAVROV¹, Olena KUPENKO¹, Tetiana LAVRYK²,
Natalia BARCHENKO³

¹*Computer Science Department, Sumy State University*

2 Rimsky-Korsakov Str., Sumy, 40007, Ukraine

²*Faculty of Skills Upgrading and Postgraduate Education, Sumy State University*

2 Rimsky-Korsakov Str., Sumy, 40007, Ukraine

³*Department of Cybernetics and Informatics, Sumy National Agrarian University*

160, Kirova Str., Sumy, 40021, Ukraine

e-mail: prof_lavrov@mail.ru, lena@dl.sumdu.edu.ua, metodist@dl.sumdu.edu.ua,

surock@mail.ru

Received: July 2012

Abstract. With a significant increase in the number of e-learning resources the issue of quality is of current importance. An analysis of existing scientific and methodological literature shows the variety of approaches, methods and tools to evaluate e-learning materials. This paper proposes an approach based on the procedure for estimating parameters of local factors and receiving the integral index of usability quality of e-learning modules. We present a mathematical model which serves as a basis for the automated procedures for expertise. The use of fuzzy logic allows to reduce greatly the complexity of evaluating the formation of a repository of e-learning modules.

The proposed approach is focused on the situation, when the university

- has amassed a large number of e-learning modules that have to be assessed in terms of ergonomics;
- is able to use experts in ergonomics and organization of e-learning (the experts can provide, as a rule, qualitative assessment);
- is limited in resources on the development of special software for evaluation of e-learning modules;
- is forced by the need to reduce the cost of expertise to be limited to considering only the main quality indicators that have the greatest impact on the ergonomics of e-learning modules.

For automation of the ergonomic examination procedures a MatLab system is used, in particular Fuzzy Logic Toolbox.

Application of the well-known mathematical tools and widely used means of processing expert qualitative assessments can significantly reduce the cost of the expertise.

Keywords: e-learning module, expertise, usability evaluation, fuzzy logic.

1. Introduction

The use of information technology is an integral part of modern education.

In terms of active use of information technology in education e-learning resources are dynamically developing. A variety of commercial companies (e.g., Microsoft, Harbinger

Knowledge Products, Algorix, Technomatrix) are involved in the development of e-learning. This process also involved higher educational institutions (for example, Massachusetts Institute of Technology, Monterey Institute for Technology and Education, The Open University and The Russian National Open University “INTUIT”).

In Ukraine, Sumy State University (SSU) is one of the leaders in the development of e-learning modules of the unified educational e-learning system of the university (Vasylyev *et al.*, 2007; Lavryk *et al.*, 2007). Among the SSU innovations there are various types of e-learning modules: an electronic synopsis, a test, a computer tutor, a computer learning game, a virtual lab (<http://fpkpi.sumdu.edu.ua/en/nav-main-en.html>).

The developed e-learning modules are related to the following areas: humanitarian, natural science, mathematics, economic, medical, and engineering. The link http://fpkpi.sumdu.edu.ua/en/int_tool.html refers to the some e-learning modules examples such as the virtual lab “Analog hardware complex for simulating dynamical systems on their structural models”, biochemistry laboratory-based work “Method of Iyendrashek”, virtual operation “Aortocoronary Bypass”, English language learning game.

At present there are widely spread open educational resources which can be accessed via special repositories. Examples of such repositories are international, national and institutional repositories like: MERLOT, EducaNext, ARIADNE, EduTube, The National Repository of Online Courses, Connexions, The Russian Federal Center of Information and Educational Resources.

A significant increase in the number of developed commercial, public or local resources of e-learning poses a difficult choice to users. One of the decisive factors influencing the choice may be the quality of the resource. For example there might be the repositories of the authoritative institutions of higher education.

2. Problem Formulation

In the practice the e-learning laboratory of Sumy State University was faced with such a situation:

- on the one hand (estimates vary), one of the largest banks of e-learning modules in Ukraine is accumulated at the University;
- on the other hand, e-learning modules were developed at different times by different teachers, without uniform standards and have a different quality.

The analysis shows that there are alternatives to e-learning modules and the extent of their use by students, who have the ability to choose, is very different. Moreover, this difference is not so much the content, but the ergonomics.

The acuteness of the situation was aggravated by:

- a large number of foreign students (more than 1000);
- implementation of a number of international projects for open educational electronic resources.

Many of the modules to be simply removed from the bank of the electronic resources. However, this must be done, on the one hand, by the system of the formal parameters, and

on the other hand – the backing-out procedure must have a powerful “explanatory function” – type of “what modern ergonomic requirements for qualitative e-learning modules are”.

Thus, the problem can be described as follows. It is necessary:

- to exclude from the learning process the e-learning modules of poor quality in the view of ergonomics;
- to include in the technology of the development of new e-learning modules a mandatory step of acceptance, which in its part, includes an ergonomic expertise.

Procedure requirements of the ergonomic expertise:

- automation of conducting an ergonomic assessment;
- compliance with existing technologies and the international practice;
- the ability to communicate with experts in a language approaching natural;
- the possibility of an integrated assessment of ergonomic quality based on expert evaluation of local indicators;
- the maximum reduction in the complexity of the examination without significant loss of its quality;
- exclusion from consideration groups of parameters, which are of the least significant impact on the overall ergonomic evaluation;
- elimination of the need to purchase (design) special software for examination;
- the use of widely recognized and available means of automation;
- the availability of explanation (why making this or that rating).

Thus, the task is to develop an ergonomic expertise process that meets put requirements.

3. Related Works

3.1. Usability Evaluation Methods

Usability as defined in ISO 9241-11:1998 is understood as the “extent to which a product can be used by specified users to achieve specified goals with effectiveness, efficiency and satisfaction in a specified context of use”. The term “Ergonomics” has a wider meaning and has been introduced in the ISO 6385 in the year 2004: “Scientific discipline concerned with the understanding of interactions among human and other elements of a system, and the profession that applies theory, principles, data and methods to design in order to optimize human well-being and overall system performance”.

A large set of evaluation techniques exist in the literature. Preece *et al.* (2007) clustered them in three main approaches: usability testing, analytical evaluation and field studies. Usability testing concerns the analysis of users’ performance on the tasks for which the system is designed (Preece *et al.*, 2007). This approach has the potential to provide reliable results since it involves samples of real users. However, reproducing realistic situations of usage in a laboratory is difficult, e.g., selecting a representative sample of users and tasks, training users to master advanced features of the system in a limited

time period, or weighting the effect of important contextual factors on their performance (Lim *et al.*, 1996).

Analytical methods are done by usability experts, who put themselves in the intended end-users position. Based on the experts expertise and usability heuristics the expert validates the software (Blecken *et al.*, 2010), and as no user needs to be involved, these evaluation methods fits best early in the development process. Examples of analytical methods are “Guidelines”, “GOMS” or “Heuristic Evaluation” (Bernéus A. *et al.*, 2010). The analytical approach includes inspections and the application of formal models to predict users’ performance. A common inspection method is heuristic evaluation (Nielsen, 1993). It involves experts who inspect the system and evaluate the interface against a list of usability principles, i.e., the heuristics. The main advantage is related to cost-saving: they “save users” and do not require special equipment or lab facilities (Jeffries and Desurvire, 1992). In addition, experts can detect a wide range of problems of complex systems in a limited amount of time. The main drawback of such a technique is the dependency on the inspectors’ skills and experience, as heuristics are often generic and underspecified (Doubleday *et al.*, 1997; Law, 2007).

Field studies differ from the other evaluation approaches because they are conducted in natural settings. Their aim is to understand what users do naturally and how technology impacts on them (Lanzilotti *et al.*, 2010). They are useful for identifying opportunities for new technology, eliciting requirements, deciding how best to introduce new technology, and evaluating technology in use. Evaluating usability in the field is difficult, due to the complexity of the environment and the activities to be observed, and to the large amount of data to be analysed (Pascoe *et al.*, 2000).

With respect to evaluating the quality of open educational resources in practice there are used the method of content reviewing prior to its publication (the experience of MIT Open CourseWare) or the model of “lenses” for peer evaluation and quality control after the open publication (Connexions experience) (Baraniuk, 2008, pp. 232–236).

An analysis of existing scientific and methodological literature shows the variety of approaches, methods and tools for evaluation of e-learning materials. There exist several models of evaluation from different perspectives (pedagogical and technical), for example Kirkpatrick’s Four Levels of Evaluation (Galloway, 2005), Analytic Hierarchy Process approach by Colace *et al.* (2006), and also Pedagogy Effectiveness Index (Sonwalkar, 2002).

Oliver *et al.* (2000, 2007) provide a comprehensive account of the development of the field of evaluation of e-learning during the last decade, describing checklists, guidelines and toolkits designed to facilitate evaluative work of the academic staff.

The large number of literature on the subject of quality assessment shows interest and the need for more affordable and practical means of evaluation. For example, in the materials of the report “Evaluation of e-learning courses” (Jara *et al.*, 2008, p.12) the emphasis is placed on the analysis of the existing evaluation tools specifically for a teacher, who is often not an expert in the field of quality assessment. The most common method of evaluating the quality of e-learning modules is a method of peer review. Experts are offered a variety of questionnaires, checklists in electronic or paper form.

Despite several studies have been performed to compare different approaches to usability evaluation, in practice the selection of a specific method is often based on considerations of costs and available resources (Hartson *et al.*, 2003; Law *et al.*, 2009).

Drawing a conclusion on which method is best is difficult if not impossible task, since each method has its strengths and drawbacks and there is no specific method for evaluating e-learning systems. A case study on comparative usability evaluation (Koutsabasis *et al.*, 2007) revealed that “no method was found to be significantly more effective or consistent than others”.

Methods of usability evaluation are usually very expensive, time-consuming and their results are usually very difficult to analyze.

From these reasons, there is a need to develop a model of usability evaluation that is:

- quick, precise and produces results that might be easily analyzed,
- allowing to get single-value score,
- able to deal with the users’ language which is full of vague terms,
- based on mathematical principles.

3.2. *The Advantages of Fuzzy logic*

The approach to usability evaluation based on fuzzy logic are used for Human-Centered Systems (Nunes, 2010), web-sites (Gülçin Büyüközkan *et al.*, 2010), web-portals (Hub *et al.*, 2010), e-learning system (Lanzilotti *et al.*, 2010), quality of education (Valdés-Pasarón *et al.*, 2011). We propose to apply this approach to usability evaluation e-learning modules.

Following principles should be implemented in the model of fuzzy usability evaluation (Hub *et al.*, 2010):

- users do not express the overall score by using numerical values;
- using their natural language, they evaluate a set of characteristic features that significantly affect usability;
- users’ mental load should be minimized so they can fully focus on the aspects of evaluation.

Usability score is a best approximation of expert knowledge stored in a special database.

4. **Problem Solution**

According to the methodology of the ergonomic expertise (Adamenko, 1993) we’ll solve the problem as follows:

1. Determination evaluation criteria.
2. Screening of options, in which at least one ergonomic factor has a value below a certain critical admissibility.
3. Determination of the integral index of ergonomic performance of e-learning modules according to set of local indicators.

Steps 1 and 2 are adequately described in the ergonomic literature (Adamenko *et al.*, 1993; Rothstein, 1999). The problem of the Stage 3 refers to the classification problem,




Fig. 1. Steps of research.

which can be solved with the involvement of a large number of methods allowing working with peer reviews (method of hierarchy analysis, neural networks, fuzzy logic et al.). Due to the vagueness of the information, contained in the estimates of experts, we define the fuzzy inference method, proposed by Rothstein (1999).

The usability evaluation process is performed by applying the following steps (Fig. 1).

4.1. Determination of E-Learning Module Evaluation Criteria

The degree of study of various factors in literature is investigated in the review Bernéus *et al.* (2010).

As a result, looking at Fig. 2, we can see that the top factors are general issues of usability, such as Navigation, Feedback and User Control. However, it is important to note that some general usability factors are more or less important due to the fact that an e-learning system is being evaluated. For example the Flexibility and Efficiency of Use as well as Visibility of System Status are particularly important for e-learning systems, which can also be seen in the result.

Various studies show the validity of the use of different criteria. So, in the work of Gülçin Büyüközkan (2010) the author offers the following global criteria: Right and Understandable Content, Complete Content, Personalization, Security, Navigation, Interactivity, User Interface.

Costabile (2005) has identified the following groups of criteria: Presentation, Hypermediality, Application Proactivity, User Activity, Scaffolding, Learning Window. Each criterion has a number of attributes. For example, the criterion Learning Window has attributes of organization of a course document, suitability of formats of course document, check of assessment test presence, check of usage of communication tools, adequacy of learning tools.

When talking about an e-learning system, we do not distinguish between platform and didactic module. Actually, an e-learning platform is a more or less complex environment with a number of integrated tools and services for teaching, learning, communicating and managing learning material. On the other hand, the didactic module is the educational content provided through the platform (the container). Usability attributes for a platform generally differ from those of a specific didactic module (content) (Costabile *et al.*, 2005).



Fig. 2. Usability factors in e-learning articles.

The analysis of a number of works allowed to identify 14 basic categories of criteria for e-learning modules evaluation. This number determines the high labor intensity for the evaluation, therefore it is necessary to identify the most important criteria for the general ergonomics.

For an example of the approach, as a basis, we take a list of criteria categories (Table 1) from the review Bernéus *et al.* (2010).

4.2. Determination of Criteria Weights for E-Learning Module Evaluation and Creation a Criteria Set

4.2.1. Initial Conditions

The task of assessing the significance of the criteria can not be solved only once. The results of this analysis depend on the conditions of the school, the learning process, the contingent of students and other factors.

The complexity of this step is not only in the organization of the expertise, but also in the selection of the qualified experts who know the subject area. The results of such expertise in different universities vary.

For conditions of Sumy State University such examination was organized involving 3 experts.

Table 1
Usability categories

Name	Description
Error management	This concerns help and documentation files and how easy it is to find the relevant information.
Learn-ability	How easy the system is to learn. How long does it take for a user to master the system?
Cognition facilitation, recognition & memorability	Relevant objects, actions and options should be clear. The user should not have to remember too much itself.
Flexibility and efficiency of use	This criteria concerns the possibility for the system to adopt to different users with different learning styles and tastes.
GUI	This concern not only how “pretty” the interface is but also how logical the structure is and how easy it is to read and understand.
Navigation and exiting	How easy the system is to navigate and find your way in it. How logical the structure is, etc.
Match between system and the real world	This issue is specifically concerned with logical metaphors and phrases, etc.
Consistency and standards	The learner experiences the user interface as consistent (in control, color, typography, and dialog design) words and concepts that the user can recognise and understand.
Help and documentation	Help should be easy to search. Any provided help is focused on the learner’s task, and lists simple concrete steps to be carried out.
Accessibility	How the software can be accessed. All repository access to both teacher and learner.
Learning content design	Concerns pedagogical aspects in learning/course materials. Terminology, layout and media use are some examples from the papers.
Visibility of system status	Concerns system feedback and to the user, both in terms of system status, presenting a score or other information and similar.
User Control and freedom	The learner can easily turn the application on and off, and can save his user profile in different states.

There are many methods that can be employed to determine weights, such as eigenvector, weighted least square, entropy methods and diverse MCDM methods. In our task of estimating the ergonomics of the module a subjective notion of comfort is considered. Same module with fixed values of the parameters can be interpreted in different ways by different experts and, respectively, the degree of comfort will be different. Therefore, it is necessary to use methods based on subjective assessments of experts. In this study, the most outstanding MCDM approach, AHP (Saaty, 1980) is used to determine the decision criteria weights.

The four step computational procedure is given as follows:

- Step 1. Compare the performance score. The numbers (1, 3, 5, 7, 9) are used to indicate the relative strength of each pair of elements.
- Step 2. Construct the comparison matrix.
- Step 3. The consistency ratio (CR) for each matrix is calculated. The deviations from

Table 2
E-learning modules evaluation criteria weights

Name	Weight
Error management	0.011
Learn-ability	0.099
Cognition facilitation, recognition & memorability	0.067
Flexibility and efficiency of use	0.184
GUI	0.1
Navigation and exiting	0.141
Match between system and the real world	0.002
Consistency and standards	0.187
Help and documentation	0.078
Accessibility	0.002
Learning content design	0.123
Visibility of system status	0.001

consistency are expressed by the following equation consistency index, and the measure of inconsistency is called the consistency index.

The consistency ratio is used to estimate directly the consistency of pair wise comparisons. If CR is less than 0.10, the comparisons are acceptable, otherwise not (Saaty, 1980).

Step 4. The priority weight of each criterion can be obtained by multiplying the matrix of evaluation ratings by the vector of attribute weights and summing over all attributes.

The obtained results are shown in Table 2.

4.2.2. Using the Results of the Criteria Importance Evaluation

The significance of the criteria is important at:

- assessment of the modules (primarily the most important criteria are evaluated that allows to postpone a subsequent evaluation of the most important indicators at their extremely low values);
- exclusion from examination the least important criteria (in case of restrictions because of the complexity of expertise).

In the next section, as an example, a model for the examination of the most significant groups of five criteria is considered: Flexibility and efficiency of use, GUI, Navigation and exiting, Consistency and standards, Learning content design.

4.3. A Model of Ergonomic Expertise Based on Fuzzy Logic

Suppose we are given a set of local indicators of ergonomic performance of modules $K = \{k_j\}$, $j = \overline{1, n}$. Selected indicators of the sets can be separated into some categories $G = \{g_i\}$, $i = \overline{1, m}$. There is some procedure of conformity evaluation of local indicators to some requirements. Given is a set of possible outcomes of usability evalua-

tion $E = \{e_1, e_2, e_3\}$. Evaluation of the quality of the module is used to make one of the following decisions: e_1 – conform (module corresponds to the claimed usability recommendations and standards), e_2 – redesign (module not fully corresponds to the claimed usability recommendations and standards), e_3 – mismatch (module dose not corresponds to the claimed usability recommendations and standards).

A set of specific parameters, analyzed in each case, depends on many factors. In this example for ergonomic examination we restrict ourselves to the following characteristics: Navigation and Exiting, Learning Content Design, Consistency and Standards, GUI and Flexibility and Efficiency of Use. This example is illustrative. In reality, reducing the number of groups of factors can be held in conjunction with the need to reduce the complexity of the examination. This decision is made every time based on the analysis of the available time resource of the experts.

Let E – an integral indicator of the quality of e-learning modules. To evaluate this indicator we will use the following information:

X – Navigation and Exiting, which is evaluated with the following local indicators: x_1 – usability of the keyboard and mouse, x_2 – intelligibility and easy to navigate (type and location of control keys, key transition points and the path to them, the possibility of random and sequential movement of material, etc.), x_3 – usability of the table of contents;

Y – Learning Content Design, which is estimated with the following local indicators: y_1 – the amount (dosage) of the material on the page (slide), y_2 – consistency of page layout;

Z – Consistency and Standards, which is estimated with the following local indicators: z_1 – readability, z_2 – compliance with the design logic of the text elements (body text, headings, subheadings, captions for illustrations, etc.);

V – Flexibility and Efficiency of Use;

M – GUI (compliance with the design logic of the objects): m_1 – ratio aspect, m_2 – location, m_3 – color.

The task of the evaluation is to bring to conformity one of the solutions e_1, e_2, e_3 with the module with known local indicators.

4.3.1. *The Scheme of the Solution*

The general scheme of solving the problem of ergonomic examination of e-learning modules is shown in Fig. 3 and represents a sequence of actions:

1. Evaluation of the e-learning module according to the selected indicators on the scale of the thermometer.
2. The procedure of fuzzy inference.
3. The decision on the conformity of the achieved quality indicators to general and special ergonomic requirements and the establishment of the ergonomic quality of the module.

If you decide on the conformity, the module is added to the library e-learning modules and can be used for further procedures to select the most suitable module for a particular user. Otherwise, the recommendations are given for redesign, or discrepancy of the module is justified.




Fig. 3. The general scheme of solving the problem of ergonomic examination of e-learning modules.

4.3.2. Fuzzy Inference

The criteria hierarchy is shown in Fig. 4 as a derivation tree, which corresponds to the system of relations:

$$E = f_e(X, Y, Z, M, V), \tag{1}$$

$$X = f_x(x_1, x_2, x_3), \tag{2}$$

$$Y = f_y(y_1, y_2), \tag{3}$$

$$Z = f_z(z_1, z_2, z_3), \tag{4}$$

$$M = f_m(m_1, m_2, m_3). \tag{5}$$

These relations are brought into line with fuzzy logic equations, which allow to define the level of index E according to the maximum of membership function:

$$\mu^{E_j}(X, Y, Z, M, V) = \max_{p=1,q} \{ \min [\mu^{X^{jp}}(X), \mu^{Y^{jp}}(Y), \mu^{Z^{jp}}(Z), \mu^{M^{jp}}(M), \mu^{V^{jp}}(V)] \}, \tag{6}$$

$$\mu^{X_j}(x_1, x_2, \dots, x_l) = \max_{p=1,e_j} \{ \min_{i=1,l} [\mu^{x_i^{jp}}(x_i)] \}, \tag{7}$$

$$\mu^{Y_j}(y_1, y_2, \dots, y_m) = \max_{p=1,g_j} \{ \min_{i=1,m} [\mu^{y_i^{jp}}(y_i)] \}, \tag{8}$$

$$\mu^{Z_j}(z_1, z_2, \dots, z_n) = \max_{p=1,h_j} \{ \min_{i=1,n} [\mu^{z_i^{jp}}(z_i)] \}, \tag{9}$$

$$\mu^{M_j}(m_1, m_2, \dots, m_k) = \max_{p=1,l_j} \{ \min_{i=1,k} [\mu^{m_i^{jp}}(m_i)] \}, \tag{10}$$




Fig. 4. Relationship of integral and local criteria.

$$\mu^{V_j}(v_1, v_2, \dots, v_s) = \max_{p=1, u_j} \{ \min_{i=1, s} [\mu^{v_i^{j_p}}(v_i)] \}. \quad (11)$$

In accordance with Rothstein (1999), the algorithm of fuzzy inference using a generalized derivation tree is:

1. We fix a vector of values of input variables $(x_1^*, x_2^*, \dots, x_q^*, y_1^*, y_2^*, \dots, y_m^*, z_1^*, z_2^*, \dots, z_n^*, m_1^*, m_2^*, \dots, m_k^*, v_1^*, v_2^*, \dots, v_s^*)$.
2. We determine the values of membership functions of terms-estimates of input variables $\mu^{x_j^{j_p}}(x_i)$, $p = \overline{1, l}$, $j = \overline{1, e_j}$, $\mu^{y_j^{j_p}}(y_i)$, $p = \overline{1, m}$, $j = \overline{1, g_j}$, $\mu^{z_i^{j_p}}(z_i)$, $i = \overline{1, n}$.
3. Using (6)–(11), we calculate the membership function of the terms-estimates of the output value E , which corresponds to the vector of values of input variables $(x_1^*, x_2^*, \dots, x_q^*, y_1^*, y_2^*, \dots, y_m^*, z_1^*, z_2^*, \dots, z_n^*, m_1^*, m_2^*, \dots, m_k^*, v_1^*, v_2^*, \dots, v_s^*)$.
4. We define the evaluation E_j^* , which membership function is maximum:

$$\begin{aligned} \mu^{E_j^*}(X < Y < Z < M < V) &= \max_{j=\overline{1, r}} [\mu^{E_j}(X, Y, Z, M, V)] \\ \rightarrow E &= E_j^*. \end{aligned} \quad (12)$$

4.3.3. Evaluation of Local Indicators on the Basis of the Thermometer

The peculiarity of the local indicators is that they are qualitative in nature, ie do not have precise quantitative measurements. Therefore, when evaluating the same figure some experts may have different opinions. In addition the expert is not always able to estimate verbally the local indicator, although intuitively feel the quality. To overcome these difficulties the local indicators can be estimated on the basis of the thermometer (Fig. 5), which is set out in the (Rothstein, 1999) work.

The beauty of this approach is that different in the sense local indicators are determined as linguistic variables defined on a single universal set, which is the scale of the




Fig. 5. Evaluation of the variable u on the principle of the thermometer.

Table 3
Some recommendations to assessment of local quality indicators

Local indicators	Levels of assessment of indicators			
	Invalid (rejected at the preliminary stage of the expertise)	Minimal	Average	Maximal
Intuitive and easy to navigate, x_2	Non-standard location of the controls	Preliminary preparation before starting work with the module is required	Some comments	Intuitive interface
Usability of the table of contents x_3	There is no table of contents	In the table of contents there are only the main sections	Some inconvenience during the transition	Smooth transition between sections and subsections
The amount of material on the page, y_1	The redundancy of the material on the page	Some redundancy	Some comments	A necessary and sufficient amount of material
Uniformity of pages' design y_2	Unreasonable stylistic diversity	Differences in the design of some pages	Minor comments	All pages are in the same style

thermometer. Subjectivity reducing can be achieved through the use of the recommendations in Table 3. For example, the shaded portion of the scale in Fig. 5 for the “build quality” corresponds to the high quality of performance.

4.3.4. Evaluation of the Integral Indicator

Suppose that the linguistic variables $x_1 - x_3, y_1 - y_2, z_1 - z_3, v, m_1 - m_3$ are valued by fuzzy terms L – low, M – middle and H – high, which are defined using the membership functions (Fig. 6).

Using fuzzy terms, we define a knowledge of the relations (1–5) in a matrix, fragments of which are presented in Tables 4–8. Each group of lines shows a conditional statement that links the fuzzy values of the input and output variables. For example, Table 4 shows that a statement is the condition of the matching module:

$$\mathbf{IF} (X = H) \& (Y = H) \& (Z = H) \& (V = H) \& (M = H) \mathbf{THEN} E = e_1.$$




Fig. 6. Membership functions of fuzzy terms.

Table 4

A fragment of knowledge of the relations (1)

<i>X</i>	<i>Y</i>	<i>Z</i>	<i>V</i>	<i>M</i>	<i>E</i>
<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>	e_1
<i>M</i>	<i>H</i>	<i>H</i>	<i>M</i>	<i>H</i>	
<i>H</i>	<i>M</i>	<i>M</i>	<i>M</i>	<i>H</i>	e_2
<i>M</i>	<i>H</i>	<i>M</i>	<i>H</i>	<i>M</i>	
<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	<i>L</i>	e_3
<i>L</i>	<i>M</i>	<i>M</i>	<i>L</i>	<i>M</i>	

Table 5

A fragment of knowledge of the relations (2)

x_1	x_2	x_3	<i>X</i>
<i>H</i>	<i>M</i>	<i>H</i>	<i>H</i>
<i>M</i>	<i>L</i>	<i>M</i>	<i>M</i>
<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>

Table 6

A fragment of knowledge of the relations (3)

y_1	y_2	<i>Y</i>
<i>H</i>	<i>L</i>	<i>M</i>
<i>H</i>	<i>M</i>	<i>H</i>
<i>M</i>	<i>M</i>	<i>M</i>

Table 7

A fragment of knowledge of the relations (4)

z_1	z_2	<i>Z</i>
<i>M</i>	<i>M</i>	<i>M</i>
<i>H</i>	<i>M</i>	<i>H</i>
<i>L</i>	<i>L</i>	<i>L</i>

Table 8

A fragment of knowledge of the relations (5)

m_1	m_2	m_3	<i>M</i>
<i>H</i>	<i>H</i>	<i>H</i>	<i>H</i>
<i>H</i>	<i>H</i>	<i>M</i>	<i>M</i>
<i>L</i>	<i>M</i>	<i>M</i>	<i>L</i>

Fuzzy logic equations, set out in compliance with Tables 4–8, allow to evaluate the integral coefficient of agreement for fixed values of local indicators. Using the above approach, we form a set of modules that the best meet the requirements. Examples of estimates of the three modules are shown in Table 9.

4.3.5. Automation of the Examination and Analysis of the Approach Benefits

In Sumy State University examination is carried out using this approach by means of MatLab. Basic calculations are performed using Fuzzy Logic Toolbox. This solution has

Table 9
Examples of e-learning usability evaluation

local indicators	Module 1	Module 2	Module 3
x_1			
x_2			
x_3			
y_1			
y_2			
z_1			
z_2			
m_1			
m_2			
m_3			
V			
Decision	Meets the requirements	Requires modifications	Doesn't meet the requirements




Fig. 7. Relations between ergonomic quality of e-learning modules, learning content design and GUI.

the following advantages:

- no need to purchase (to develop) expensive programs;
- ease of creating and editing the necessary knowledge bases;
- no time-consuming calculations;
- rapid assessment;
- ability to solve problems, such as “What if?”;
- focusing on untrained users, user-friendly interface;
- large graphical representation of data (see example in Fig. 7);
- ability to connect other tasks (for example, adaptation to the requirements of students).

Some of the automation matters of such assessment are considered by Lavrov and Barchenko (2008).

5. Conclusions

The large number of existing scientific and methodological literature on quality assessment of e-learning resource demonstrates the relevance of the theme for the educational sector, diversity of approaches, methods and assessment tools,

The complexity of most methodologies of expertise and lack of available decision support systems in the formation of repositories of educational resources make the task of developing a procedure for resource evaluation of current importance.

For the examination of the quality we offer the approach based on the use of fuzzy logic, which allows you to:

- create simple intuitive expert estimation procedures of local indicators of quality;
- obtain the integral quality assessment;
- work out recommendations for the development of a repository of educational resources.

The developed approach is tested in the ergonomic expertise of educational resources for distance learning system of Sumy State University.

The use of models and derived from them automated procedures can significantly reduce the complexity of evaluation of educational resources.

Further studies will be aimed at improving the software tools and techniques for evaluation of e-learning modules within the project “Mechanisms of the organization of the individual educational trajectories using electronic resources to improve the quality of training”, which is scheduled for implementation.

References

- Адаменко, А.Н., Ашеро́в, А.Т., Лавров, Е.А. и др. (1993). *Информационно-управляющие человеко-машинные системы. Исследование, проектирование, испытания. Справочник (Information Management Human-Machine Systems: Research, Design, Testing: Directory)*, под общ. ред. Губинского А.И. и Евграфова Е.Г. (edited by Gubinsky, A.I., Yevgrafova, E.G.). М., Машиностроение (M., Mechanical Engineering).
- Ardito, C., Costabile, M.F., De Angeli, A., Lanzilotti, R. (2006). Systematic evaluation of e-learning systems: an experimental validation. In: *Proceedings of the 4th Nordic Conference on Human-Computer Interaction: Changing Roles*, 195–202.
- Baraniuk, R.G. (2008). Challenges and opportunities for the open education movement: a connexions case study. In: Iiyoshi, T., Kumar M.S.V. (Eds.), *Opening up Education: The Collective Advancement of Education Through Open Technology, Open Content, and Open Knowledge*. MIT Press, 229–247.
- Bernéus, A., Zhang (2010). *A Peek at the Position of Pedagogical Aspects in Usability Evaluation of E-Learning System. A Literature Review of Usability Evaluation of E-Learning System conducted since 2000*, Gothenburg, Sweden.
- Blecken, A., Bruggemann, D., Marx, W. (2010). Usability evaluation of a learning management system. In: *Proceedings of the 43rd Hawaii International Conference on System Sciences*, 1–9.
- Colace, F., De Santo, M., Pietrosanto, A. (2006). Evaluation models for e-learning platform: an AHP approach. In: *Proceedings of the 36th Annual Frontiers in Education Conference*, 1–6.
- Costabile, M.F., De Marsico, M., Lanzilotti, R., Plantamura, V.L., Roselli, T. (2005). On the usability evaluation of e-learning applications. In: *Proceedings of 38th Hawaii International Conference on System Sciences*, 190–227.
- Doubleday, A., Ryan, M., Springett, M., Sutcliffe, A. (1997). A comparison of usability techniques for evaluating design. In: *Proceedings of Designing Interactive Systems*, Amsterdam, The Netherlands, Springer Verlag, 101–110.

- Faculty of Skills Upgrading and Postgraduate Education (ICT in training)
<http://fpkpi.sumdu.edu.ua/en/>.
- Galloway, D. (2005). Evaluating distance delivery and e-learning: is Kirkpatrick's model relevant? *Performance Improvement*, 44(4), 21–27.
- Gülçin Büyükoğuzkan, Jbid Arsenyan. (2010). Evaluation of e-learning web sites using fuzzy axiomatic design based approach. *International Journal of Computational Intelligence Systems*, 3(1), 28–42.
- Hartson, H.R., Andre, T.S., Williges, R.C. (2003). Criteria for evaluating usability evaluation methods. *International Journal of Human-Computer Interaction*, 15(1), 145–181.
- HI-Tech in Education: Sumy State University Experience.*
<http://fpkpi.sumdu.edu.ua/en/nav-main-en.html>.
- Hub, M, Zaltoukal, M. (2010). Model of usability evaluation of web portals based on the fuzzy logic. *WSEAS Transactions on Information Science and Applications*, 7(4), 522–531.
- Jara, M., Mohamad, F., Cranmer, S. (2008). *Evaluation of E-Learning Courses*. WLE Centre, Institute of Education, University of London, London.
- Jeffries, R., Desurvire, H.W. (1992). Usability testing vs heuristic evaluation: was there a context? *ACM SIGCHI Bulletin*, 24(4), 39–41.
- Koutsabasis, P., Spyrou, T., Darzentas, J. (2007). Evaluating usability evaluation methods: criteria, method and a case study. In: *Proceedings of the 12th International Conference on Human-Computer Interaction: Interaction Design and Usability*, 569–78.
- Lanzilotti, R, Ardito, C., Costabile, De Angeli (2011). Do patterns help novice evaluators? A comparative study. *International Journal of Human-Computer Studies*, 69, 52–69.
- Lavrov E., Barchenko N. (2008). Neural-fuzzy modelling of human computer interaction in the learning system. In: *Proceedings of the International Scientific Conference "UNITECH '08"*, Technical University of Gabrovo, Gabrovo, Bulgaria. Vol. 3, 107–109.
- Lavryk, T., Lugovoy, N., Lyubchak, V. (2007). Peculiarities of distance education at Sumy State University. In: *Proceedings of the International Conference Interactive Computer Aided Blended Learning*.
- Law, E. (2007). Heuristic evaluation. In: *Proceedings of COST294-MAUSE International Workshop "Review, Report and Refine Usability Evaluation Methods (R3-UEM)"*, Athens, Greece, 61–63.
- Matera, M., Costabile, M.F., Garzotto, F., Paolini, P., Inf, D.E., (2002). SUE inspection: an effective method for systematic usability evaluation of hypermedia. *IEEE Transactions on Systems, Man and Cybernetics*, Part A, 32(1), 93–103.
- Nielsen, J. (1993). *Usability Engineering*, AP Professional, New York.
- Nunes, L. (2010). Handling human-centered systems uncertainty using fuzzy logics – a review. *The Ergonomics Open Journal*, 3, 38–48.
- Oliver, M., Harvey, J., Conole, G. (2000). A review of online resources to support evaluation. *Educational Developments*, 1(4).
- Oliver, M., Harvey, J., Conole, G., Jones, A. (2007). Evaluation. In: Conole, G., Oliver, M. (Eds.), *Contemporary Perspectives in E-Learning Research: Themes, Methods and Impact on Practice*. London, 203–216.
- Осин, А.В. (2010). *Открытые образовательные модульные мультимедиа системы (Open Educational Multimedia Modular System)*. М.: Агентство "Издательский сервис" (М.: The Agency "Publishing Services").
- Pascoe, J., Ryan, N., Morse, D. (2000). Using while moving: HCI issues in fieldwork environments. *Transactions on Computer-Human Interaction*, 7(3), 417–437.
- Preece, J., Rogers, Y., Sharp, H. (2007). *Interaction Design*, 2nd edn., John Wiley & Sons, New York, USA.
- Ротштейн, О.П. (1999). *Интеллектуальные технологии идентификации: нечеткие множества, генетические алгоритмы, нейронные сети (Intelligent Identification Technologies: Fuzzy Sets, Genetic Algorithms, Neural Networks)*. Винница: "УНИВЕРСУМ-Винниця" (Vinnitsa "UNIVERSUM-Vinnitsya").
- Saaty, T.L. (1980). *The Analytic Hierarchy Process, Process, Planning, Priority Setting, Resource Allocation*. McGraw-Hill Book Company, New York.
- Sonwalkar, N. (2002). A new methodology for evaluation: the pedagogical rating of online courses. *Syllabus*, 15(6), 18–21.
- Valdes-Pasaron, S., Marquez, B.Y., Ocegueda-Hernandez, J.M. (2011). The use of soft computing for measuring the quality of education. *International Journal of New Computer Architectures and Their Applications*, 1(2), 282–291.

Vasylyev, A., Lavrik, T., Lyubchak, V. (2007). System of distance education at Sumy State University. In: *Proceedings of the 5th International Conference on Emerging E-Learning Technologies and Applications*, 291–294.

E. Lavrov is a professor of the Department of Computer Sciences of Sumy State University (Ukraine). Received the master's degree in control systems (engineering) from Kharkov University of Radio Electronics (Ukraine) in 1981, the degree of candidate of science in engineering in 1988, doctor's degree in engineering on a specialty ergonomics (engineering science) in 1996. His present research interests include modeling of human-machine interaction, fuzzy logic.

O. Kuppenko is an associate professor of the Department of Computer Sciences of Sumy State University (Ukraine), PhD of pedagogical studies. Areas of scientific interest: the theory and methods of educational administration, lifelong learning, skills upgrading of pedagogical staff, information technologies in education.

T. Lavryk is a head of Laboratory of Pedagogical Innovations Faculty of Skills Upgrading and Postgraduate Education (Sumy State University, Ukraine). Received the master's degree – a teacher of mathematics and computer science in Sumy State Pedagogical University (Ukraine) in 1999. In 2010 she graduated from the postgraduate course "Theory and methods of vocational education". Areas of scientific interest: tools of self-organization and self-management in learning activities, distance learning, open educational resources.

N. Barchenko is a teacher of the Department of Cybernetics and Informatics (Sumy National Agrarian University, Ukraine). Areas of scientific interest: ergonomic aspects of e-learning, user modeling, open educational multimedia modular system.

Struktūrinis metodas ergonomiam el. mokymo modulių tyrimui

Evgeniy LAVROV, Olena KUPENKO, Tetiana LAVRYK, Natalia BARCHENKO

Didėjant mokymosi išteklių kiekiui pagrindinė problema, kylanti el. mokymo srityje, yra jų kokybė. Mokymosi ištekliams vertinti mokslinėje ir metodinėje literatūroje randama daugybė skirtingų metodologijų, metodų ir įrankių. Straipsnyje pristatomas metodas grįstas lokaliųjų faktorių parametrų įvertinimu ir el. modulių panaudojimo kokybės integralaus įverčio gavimu. Pristatomas matematinis modelis automatinėms funkcijoms realizuoti. Neraiškiosios logikos taikymas įgalina sumažinti vertinamų el. modulių kompleksumą. Pasiūlytas metodas nagrinėjamas tokioje situacijoje: universitetui pateikiama daugybė el. modulių, kurie turi būti įvertinti žvelgiant iš ergonominių pozicijų; pasitelkiami ekspertai įvertinti el. modulius (ekspertai pateikia taisykles, kokybinius įverčius); nėra specialios programinės įrangos el. modulių vertinimui; siekiama sumažinti kokybę lemiančių veiksnių skaičių ir parinkti tik tuos, kurie turi didžiausią įtaką el. modulių ergonominės savybėms. „Matlab“ sistema buvo naudojama siekiant įgyvendinti ergonominio tyrimo metodą. Gerai žinomo matematinio įrankio taikymas ir ekspertinis vertinimas leido reikšmingai sumažinti tyrimui reikalingas sąnaudas.